



SECTION V - REACTIVITY DATA

STABILITY:

Stable

HAZARDOUS POLYMERIZATION:

Will not occur

CONDITIONS OR MATERIALS TO AVOID:

Strong oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS:

Carbon monoxide, carbon dioxide, organic acids.

SECTION VI - HEALTH HAZARD DATA

Carcinogenic Listing:

NTP: No ingredients listed in this section.

IARC MONOGRAPHS: No ingredients listed in this section.

OSHA 29 CFR 1910: No ingredients listed in this section

ENTRY ROUTES & EFFECTS OF OVEREXPOSURE:

Contact: Causes skin and eye irritation.

Inhalation: Can cause dizziness, headache, tingling sensation or feeling of intoxication.

Ingestion: May be harmful if swallowed.

STATEMENT OF PRACTICAL TREATMENT:

Contact: Flush with plenty of water. For eyes, flush for at least 15 minutes and get medical attention.

Inhalation: Remove the person to fresh air. If breathing has stopped, give artificial respiration and call a physician immediately.

Ingestion: Do not induce vomiting. Call a physician immediately.

SECTION VII - SPECIAL PRECAUTIONS

HANDLING AND STORAGE PRECAUTIONS:

Flammable. Store in a cool location, away from heat, sparks and open flame. Keep closed when not in use. Vapors form explosive mixtures with air.

STEPS TO BE TAKEN IF MATERIAL SPILLS OR LEAKS:

Wear safety equipment and use adequate ventilation. Absorb small spills in sand and sweep up into drums. For large spills, dike the liquid and put it into drums. Absorb the remainder with sand and sweep up into drums.

WASTE DISPOSAL METHOD:

Wasted Aquatic Weed Killer is an EPA Hazardous waste, as is any material used to absorb a spill. Ship the waste to an approved EPA treatment or disposal facility. Comply with all federal, state and local regulations.

OTHER PRECAUTIONS:

Avoid contact with skin and eyes. Do not breathe vapors. Do not take internally.



SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION:

For amounts above the TLV use organic vapor respirators. For more severe conditions use a self-contained breathing apparatus.

VENTILATION:

Local exhaust is usually adequate.

EYE PROTECTION:

Wear chemical goggles.

SKIN PROTECTION:

Wear nitrile gloves.

OTHER PROTECTIVE EQUIPMENT:

None.

ACGIH = American Conference of Governmental Industrial Hygienists

CL = Ceiling Level

IARC = International Agency for Research on Cancer: Monographs

OSHA = Occupational Safety and Health Administration

N/A = Not Applicable

NTP = National Toxicology Program: Annual Report on Carcinogens

PEL = Permissible Exposure Level (OSHA)

TLV = Threshold Limit Value (ACGIH)

TWA = Time Weighted Average over 8 Hours

STEL = Short Term Exposure Limit (ACGIH)

ND = Not Determined

This information is, to the best of our knowledge, accurate but may not be complete. THATCHER COMPANY furnishes this information in good faith, but without warranty, representation or guarantee of its accuracy, completeness, or reliability.