



UNUSUAL FIRE AND EXPLOSION HAZARDS: A self-contained breathing apparatus should always be available.

SECTION V - REACTIVITY DATA

STABILITY:

Stable

HAZARDOUS POLYMERIZATION:

Will not occur

CONDITIONS OR MATERIALS TO AVOID:

Avoid extreme heat. Do not store near sodium hypochlorite solutions.

HAZARDOUS DECOMPOSITION PRODUCTS:

Nitrogen oxides.

SECTION VI - HEALTH HAZARD DATA

CARCINOGENIC LISTING:

NTP: No ingredients listed in this section.

IARC MONOGRAPHS: No ingredients listed in this section.

OSHA 29 CFR 1910: No ingredients listed in this section.

ENTRY ROUTES & EFFECTS OF OVEREXPOSURE:

Contact: Can cause severe eye irritation.

STATEMENT OF PRACTICAL TREATMENT:

Contact: Flush with cool water for at least 15 minutes. Get medical attention.

SECTION VII - SPECIAL PRECAUTIONS

HANDLING AND STORAGE PRECAUTIONS:

Store in a cool, dry area, away from sodium hypochlorite solutions.

STEPS TO BE TAKEN IF MATERIAL SPILLS OR LEAKS:

Avoid areas where extremely high temperatures may occur. Wash thoroughly after handling.

WASTE DISPOSAL METHOD:

Wear proper safety equipment. Evacuate and ventilate the area. Contain the liquid if possible. Pump or scoop into drums, do not wash to sewer or waterways. If liquid cannot be contained, absorb with diatomaceous earth and shovel into drums.

OTHER PRECAUTIONS:

Avoid areas where extremely high temperatures may occur. Wash thoroughly after handling.



SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION:

MSA or NIOSH-approved respirator.

VENTILATION:

Local exhaust recommended.

EYE PROTECTION:

Chemical type safety glasses.

SKIN PROTECTION:

Rubber gloves.

OTHER PROTECTIVE EQUIPMENT:

As needed to prevent contact with eyes.

ACGIH = American Conference of Governmental Industrial Hygienists

CL = Ceiling Level

IARC = International Agency for Research on Cancer: Monographs

OSHA = Occupational Safety and Health Administration

N/A = Not Applicable

NTP = National Toxicology Program: Annual Report on Carcinogens

PEL = Permissible Exposure Level (OSHA)

TLV = Threshold Limit Value (ACGIH)

TWA = Time Weighted Average over 8 Hours

STEL = Short Term Exposure Limit (ACGIH)

ND = Not Determined

This information is, to the best of our knowledge, accurate but may not be complete. THATCHER COMPANY furnishes this information in good faith, but without warranty, representation or guarantee of its accuracy, completeness, or reliability.