



THATCHER COMPANY MATERIAL SAFETY DATA SHEET
PRODUCT: DIAMMONIUM EDTA SOLUTION, 38%
Page 2 of 3

SECTION V - REACTIVITY DATA

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS OR MATERIALS TO AVOID: None

HAZARDOUS DECOMPOSITION PRODUCTS: None.

SECTION VI - HEALTH HAZARD DATA

CARCINOGENIC LISTING:

NTP: No ingredients listed in this section.

IARC MONOGRAPHS: No ingredients listed in this section.

OSHA 29 CFR 1910: No ingredients listed in this section.

ENTRY ROUTES & EFFECTS OF OVEREXPOSURE:

Contact: Can cause irritation to skin and eyes.

Ingestion: Ingestion of large amounts will result in diarrhea and weakness.

STATEMENT OF PRACTICAL TREATMENT:

Contact: Wash affected areas with soap and water. Remove and launder contaminated clothing before reuse. If irritation develops, get medical attention.

Eyes: Immediately rinse eyes with running water for 15 minutes. If irritation develops, get medical attention.

Ingestion: If swallowed, dilute with water and immediately induce vomiting. Never give fluids or induce vomiting if the victim is unconscious or having convulsions. Get immediate medical attention.

SECTION VII - SPECIAL PRECAUTIONS

HANDLING AND STORAGE PRECAUTIONS:

Store at moderate temperatures, in tight containers.

STEPS TO BE TAKEN IF MATERIAL SPILLS OR LEAKS:

Spills should be contained, solidified, and placed in suitable containers for disposal in a licensed facility. This material is not regulated by RCRA or CERCLA ("Superfund"). Wear appropriate respiratory protection and protective clothing and provide adequate ventilation during clean-up.

WASTE DISPOSAL METHOD:



THATCHER COMPANY MATERIAL SAFETY DATA SHEET
PRODUCT: DIAMMONIUM EDTA SOLUTION, 38%
Page 3 of 3

Incinerate in a licensed facility. Do not discharge into waterways or sewer systems.

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION:

If vapors or mists are generated, wear a NIOSH/MSHA approved organic vapor/mist respirator or an air-supplied respirator as appropriate.

VENTILATION:

Use local exhaust to control vapors/mists.

EYE PROTECTION:

Chemical splash goggles.

SKIN PROTECTION:

Gloves, coveralls, apron, boots as necessary to minimize contact.

OTHER PROTECTIVE EQUIPMENT:

As needed to prevent contact with skin.

ACGIH = American Conference of Governmental Industrial Hygienists

CL = Ceiling Level

IARC = International Agency for Research on Cancer: Monographs

OSHA = Occupational Safety and Health Administration

N/A = Not Applicable

NTP = National Toxicology Program: Annual Report on Carcinogens

PEL = Permissible Exposure Level (OSHA)

TLV = Threshold Limit Value (ACGIH)

TWA = Time Weighted Average over 8 Hours

STEL = Short Term Exposure Limit (ACGIH)

ND = Not Determined

This information is, to the best of our knowledge, accurate but may not be complete. THATCHER COMPANY furnishes this information in good faith, but without warranty, representation or guarantee of its accuracy, completeness, or reliability.