



THATCHER COMPANY MATERIAL SAFETY DATA SHEET

PRODUCT: GC-159

Page 2 of 3

SECTION V - REACTIVITY DATA

STABILITY: Stable

HAZARDOUS POLYMERIZATION:

Will not occur

CONDITIONS OR MATERIALS TO AVOID:

Protect from moisture. Avoid contact with acid; strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS:

Toxic fumes of Carbon monoxide, carbon dioxide and sulfur oxides.

SECTION VI - HEALTH HAZARD DATA

Carcinogenic Listing:

NTP: No ingredients listed in this section.

IARC MONOGRAPHS: No ingredients listed in this section.

OSHA 29 CFR 1910: No ingredients listed in this section.

ENTRY ROUTES & EFFECTS OF OVEREXPOSURE:

Contact: May cause irritation to skin and eyes.

Inhalation: Vapor may cause respiratory discomfort.

Ingestion: May cause irritation if inhaled.

STATEMENT OF PRACTICAL TREATMENT:

Contact: Flush exposed area thoroughly with soap and water. For eyes, flush with cool water for at least 15 minutes. If irritation persists, get medical attention.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Ingestion: If swallowed, give several glasses of water and call a physician.

SECTION VII - SPECIAL PRECAUTIONS

HANDLING AND STORAGE PRECAUTIONS:

Store in a cool place. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Keep container closed.

STEPS TO BE TAKEN IF MATERIAL SPILLS OR LEAKS:

Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

WASTE DISPOSAL METHOD:

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an



THATCHER COMPANY MATERIAL SAFETY DATA SHEET

PRODUCT: GC-159

Page 3 of 3

afterburner and scrubber. Observe all federal, state and local environmental regulations.

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION:

NIOSH/MSHA- approved respirator.

VENTILATION:

Mechanical exhaust required.

EYE PROTECTION:

Chemical safety goggles.

SKIN PROTECTION:

Compatible chemical resistant gloves.

OTHER PROTECTIVE EQUIPMENT:

None required.

ACGIH = American Conference of Governmental Industrial Hygienists

CL = Ceiling Level

IARC = International Agency for Research on Cancer: Monographs

OSHA = Occupational Safety and Health Administration

N/A = Not Applicable

NTP = National Toxicology Program: Annual Report on Carcinogens

PEL = Permissible Exposure Level (OSHA)

TLV = Threshold Limit Value (ACGIH)

TWA = Time Weighted Average over 8 Hours

STEL = Short Term Exposure Limit (ACGIH)

ND = Not Determined

This information is, to the best of our knowledge, accurate but may not be complete. THATCHER COMPANY furnishes this information in good faith, but without warranty, representation or guarantee of its accuracy, completeness, or reliability.