



THATCHER COMPANY MATERIAL SAFETY DATA SHEET
PRODUCT: T-FLOC B-21-L
Page 2 of 3

SECTION V - REACTIVITY DATA

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS OR MATERIALS TO AVOID: Avoid contact with alkalis.

HAZARDOUS DECOMPOSITION PRODUCTS:

At temperatures >500 F, hydrogen chloride gas will be liberated.

SECTION VI - HEALTH HAZARD DATA

Carcinogenic Listing:

NTP: No ingredients listed in this section.

IARC MONOGRAPHS: No ingredients listed in this section.

OSHA 29 CFR 1910: No ingredients listed in this section

ENTRY ROUTES & EFFECTS OF OVEREXPOSURE:

Contact: Contact can cause irritation to the eyes and skin.

Ingestion: Can be harmful if swallowed, resulting in general symptoms of nausea and abdominal cramps.

STATEMENT OF PRACTICAL TREATMENT:

Contact: Immediately flush exposed area thoroughly with water. For eyes, flush with cool water for at least 15 minutes. If irritation persists, consult a physician.

Ingestion: If conscious, give several glasses of water or milk. **Do not** induce vomiting. Call a physician or local Poison Control Center at once!

SECTION VII - SPECIAL PRECAUTIONS

HANDLING AND STORAGE PRECAUTIONS:

Product is mildly corrosive to iron, brass, copper, aluminum and mild steel. Store in stainless steel, plastic, or, in plastic-lined drums or tanks.

STEPS TO BE TAKEN IF MATERIAL SPILLS OR LEAKS:

Wear safety equipment. Dike liquid and recover as much as possible into drums. If permitted, flush residue to sewer with large amounts of water.

WASTE DISPOSAL METHOD:

Not an approved EPA hazardous waste. Dispose of at landfill or approved waste disposal facility. Comply with all local, state and federal regulations.



THATCHER COMPANY MATERIAL SAFETY DATA SHEET
PRODUCT: T-FLOC B-21-L
Page 3 of 3

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: None normally required.

VENTILATION: Maintain adequate ventilation.

EYE PROTECTION: Chemical goggles.

SKIN PROTECTION: Rubber gloves, boots and long-sleeved shirt.

OTHER PROTECTIVE EQUIPMENT: As needed to prevent contact with eyes and skin.

ACGIH = American Conference of Governmental Industrial Hygienists

CL = Ceiling Level

IARC = International Agency for Research on Cancer: Monographs

OSHA = Occupational Safety and Health Administration

N/A = Not Applicable

NTP = National Toxicology Program: Annual Report on Carcinogens

PEL = Permissible Exposure Level (OSHA)

TLV = Threshold Limit Value (ACGIH)

TWA = Time Weighted Average over 8 Hours

STEL = Short Term Exposure Limit (ACGIH)

ND = Not Determined

This information is, to the best of our knowledge, accurate but may not be complete. THATCHER COMPANY furnishes this information in good faith, but without warranty, representation or guarantee of its accuracy, completeness, or reliability.